

**POPLAR
PLYWOOD**

Losán is one of the leading companies in Europe in the wood industry with sawmills, chipboard, veneer and melamine factories all over the world.

The new **poplar plywood** factory in Zamora, is strategically located to take advantage of local resources. We have developed boards with different finishes and materials that will adapt to our customer's needs.

COMPANY

12 factories

5 countries



PRODUCTION

50 000 m³
plywood/year

LOW CARBON FOOTPRINT

Poplar within
20 km radius





PLYWOOD BOARDS

Nature, innovation and technology

POPLAR PLYWOOD

Losán's R+D+i has developed poplar plywood boards made out from local forests in Spain. These boards can be combined with other wood species such as eucalyptus, pine or oak depending on the application for which it will be used.

Poplar has many advantages due to its low density (450-480 kg/m³) and its light weight. Besides having a cleaner and lighter colour, it facilitates cutting and handling which increases the duration of tools used during further wood transformations.

We manufacture these boards in the newest Losán factory located in Zamora, Spain. The facility is not only close to natural resources but it also includes the latest technology in the plywood sector. The machinery from European origin, works under the most restrictive quality controls in order to offer the best final product.

PRODUCT RANGE

POPLAR 100%

DIMENSIONS	2500 x 1220 mm / 2440 x 1220 mm
THICKNESS	3 - 40 mm
QUALITY	B/BB or BB/BB

TWIN

DIMENSIONS	2500 x 1220 mm / 2440 x 1220 mm	
THICKNESS	3 - 40 mm	
TYPES	WOOD SPECIES	QUALITIES
	Ilomba	II/III or II/IV
	Ceiba	II/III or II/IV
	Okume Class III	II/III or II/IV
	Birch	II/III
	Maple	II/III
	Red Oak	II/III

COMBIS

DIMENSIONS	2500 x 1220 mm / 2440 x 1220 mm	
THICKNESS	3 - 40 mm	
TYPES	WOOD SPECIES	QUALITIES
	Poplar / eucalyptus	II/III o III/III
	Poplar / okume	II/III o III/III

POPLAR WHITE PAINTED

DIMENSIONS	2500 x 1220 mm / 2440 x 1220 mm
THICKNESS	9, 10, 12, 15, 18 mm

POPLAR SPLICED

DIMENSIONS	2500 x 1220 mm / 2440 x 1220 mm	
THICKNESS	3 - 30 mm	
TYPES	WOOD SPECIES	QUALITIES
	Eucalyptus	A/B
	Oak	A/B
	Beech	A/B
	Pine	A/B

POPLAR HDF


DIMENSIONS	2500 x 1220 mm / 2440 x 1220 mm
THICKNESS	6 - 40 mm

POPLAR HPL

DIMENSIONS	2500 x 1220 mm / 2440 x 1220 mm
THICKNESS	10, 15, 18 mm
WHITE HPL - HGS B111	

APPLICATIONS

- Furniture
- Automotive
- Construction
- Marine Industry
- Decoration
- DIY
- Packaging
- Flooring



OPTIONS

- Lacquer (one or two sides)
- Class 2 glue for humid conditions
- Class 3 glue for outdoor use

SUSTAINABILITY

Our company ethos and the key to our future is to contribute to the environment's preservation through sustainable actions. That is why our boards will be FSC®, PEFC and TSCA Title 6 compliant.



T: +34 981 168 200
Pol. Industrial La Marina s/n, parcela 15
49770 Villabrázaro, Zamora, Spain
losan@losan.es

www.losan.es